

Main Office:

Oneonta Block Company

607-432-6641 • Fax 433-6284

6459 State Highway 23

Oneonta, NY 13820

6459 State Highway 23 Oneonta, NY 13820 607-432-8391 • Fax 433-6284 pickettbuildingmaterials.com



OBC Landscape Supply

65 State Route 369
Port Crane, NY 13833
607-369-7051 • Fax 369-7050

oneontablock.com



Duke Concrete Products

50 Duke Industrial Park Queensbury, NY 12804 518-793-7743 • Fax 793-0179 dukeconcrete.com

MANUFACTURER: Oneonta Block Company, Oneonta, NY

CERTIFICATE OF COMPLIANCE

All sizes Lightweight Concrete Masonry Units, ASTM C90, 105 CU. FT. DENSITY

THIS WILL CERTIFY THAT CONCRETE MASONRY UNITS MANUFACTURED BY ONEONTA BLOCK COMPANY FOR THE ABOVE NAMED PROJECT COMPLY WITH THE FOLLOWING SPECIFICATIONS:

ASTM C140 Test from the National Concrete Masonry Association Demonstrating Compliance to ASTM C90 "Standard Specification for Load Bearing Concrete Masonry Units." With a minimum 28 day area compressive strength of 2800 psi.

ASTM C1314 Standard test method for compressive strength of masonry prisms showing the 28-day prism test values of the 2800 net area compressive strength units.

ASTM C426 Standard test method for linear drying shrinkage of concrete masonry units. Demonstrating compliance to ASTM C90 "Standard Specification for Load Bearing Concrete Masonry Units."

Oneonta Block Company concrete masonry units will exceed a 28-day net compressive strength of 2800 psi

ALL LIGHTWEIGHT BLOCK ARE MANUFACTURED WITH EXPANDED SHALE, ASTM C331 AND NEW YORK STATE DOT CERTIFIED LAFARGE PORTLAND CEMENT TYPE 1S.

Block manufactured by Oneonta Block Company are High Strength and meet F'2000



BLOCK MANUFACTURED BY ONEONTA BLOCK COMPANY MEET LEED REQUIREMENTS. THE LEADERSHIP IN ENERGY AND ENVIRONMENTAL DESIGN (LEED) GREEN BUILDING RATING SYSTEM IS A VOLUNTARY, NATIONAL RATING SYSTEM FOR DEVELOPING HIGH-PERFORMANCE, SUSTAINABLE BUILDINGS.





