



## Oneonta Block Company

607-432-6641

Web [www.oneontablock.com](http://www.oneontablock.com)

Email [obc@oneontablock.com](mailto:obc@oneontablock.com)

## Pickett Building Materials

607-432-8391

Web [www.pickettbuildingmaterials.com](http://www.pickettbuildingmaterials.com)

Email [pbm@pickettbuildingmaterials.com](mailto:pbm@pickettbuildingmaterials.com)

6459 State Highway 23, Oneonta, NY 13820

Fax 607-433-6284 • Toll Free in NYS 800-686-0111

Divisions of Arnan Development Corporation

**MANUFACTURER: Oneonta Block Company, Oneonta, NY**

## **CERTIFICATE OF COMPLIANCE**

### **All Sizes Regular Weight Concrete Masonry Units, ASTM C90**

**THIS WILL CERTIFY THAT CONCRETE MASONRY UNITS MANUFACTURED BY ONEONTA BLOCK COMPANY FOR THE ABOVE NAMED PROJECT COMPLY WITH THE FOLLOWING SPECIFICATIONS:**

**ASTM C140 Test from the National Concrete Masonry Association Demonstrating Compliance to ASTM C90 "Standard Specification for Load Bearing Concrete Masonry Units." With a minimum 28 day area compressive strength of 2800 psi.**

**ASTM C1314 Standard test method for compressive strength of masonry prisms showing the 28-day prism test values of the 2800 net area compressive strength units.**

**ASTM C426 Standard test method for linear drying shrinkage of concrete masonry units. Demonstrating compliance to ASTM C90 "Standard Specification for Load Bearing Concrete Masonry Units."**

**Oneonta Block Company concrete masonry units will exceed a 28-day net compressive strength of 3000 psi**

**ALL REGULAR WEIGHT BLOCK ARE MANUFACTURED WITH NEW YORK STATE DOT CERTIFIED LIMESTONE AND NY STATE DOT CERTIFIED LAFARGE PORTLAND CEMENT TYPE 1S.**

**Block manufactured by Oneonta Block Company are High Strength and meet F'2000**



**BLOCK MANUFACTURED BY ONEONTA BLOCK COMPANY MEET LEED REQUIREMENTS. THE LEADERSHIP IN ENERGY AND ENVIRONMENTAL DESIGN (LEED) GREEN BUILDING RATING SYSTEM IS A VOLUNTARY, NATIONAL RATING SYSTEM FOR DEVELOPING HIGH-PERFORMANCE, SUSTAINABLE BUILDINGS.**